

Fabricant depuis 1948 • Manufacturer since 1948

OUR SECOND-HAND MACHINES

JOUANEL Industrie gives you the opportunity to purchase machines and equipment at rock-bottom prices!

These are second-hand machines taken back from our clients as they bought new JOUANEL equipment, or returning from trade shows and demonstration. They are completely mechanically overhauled, reconditioned up to the current standards, repainted for most of them and ready to operate for many years in your workshops.

You benefit from a 6-month guarantee for these machines.

You can consult our second-hand machines offers on our PDF file, which is regularly updated depending on the current availability...Time to take advantage of our good bargains!

www.jouanel.com





SECOND HAND MACHINES PRICES / 2024

TYPE OF MACHINE	REFERENCES	COMMENTS	GROSS PRICE EXCL. TAX €	N° INTERNES
HYDRAULIC GUILLOTINE SHEAR	CHS40060R	Revised	Price to be defined	OC4097
DECOILLER	DPF153MHM	Revised	13 460,00	OC4090
MANUAL FOLDING MACHINE	PAL2040	Revised	900,00	OC4091
	HS23	Revised, repainted	4 500,00	OC5007
HYDRAULIC PRESS WITH BRAKE	PPS2050	Revised	22 000,00	OC4085
MANUAL LEVER-OPERATED SHEARS	CLP1C	Revised	190,00	OC4079
ROLLER SHEAR	ССМ	Revised	320,00	OC4012
NOLLEN SHEAN	CCMA	Revised	350,00	OC4013
BEADING ACCESSORY	ABH14-16-2040 BAH16-2040	Revised Revised	350,00	OC4093
DOUBLE HINGE BENDERS	PALCD420	Revised	521,00	OC4066
CLINCHING PLIERS	PBD100	Revised	46,00	OC4082
SEAM FOLDER	PLI01K8 PLI01NM	Revised Revised	250,00 94,00	OC4086 OC4088
SEAIVI FOLDER	PLIO2NM	Revised	106,00	OC4089
TOOL TO CLOSE HEMS	OFP-180	Revised	160.00	OC4069
	PLIMDC3-200	Revised	427,00	OC4068
HAND EDGE ROLLERS	PLIMDC3-350 PLIMSC4-200	Revised Revised	268,00	OC5003 OC4084
	PLIM-SD4-040 PLIMSC-VAL	Revised Revised	182,00	OC5008 OC5004
FLARING TOOL	EVA-GAL80-100-VAL	Revised	480,00	OC5009
TEARING TOOL	EVA OALOU-TOU-VAL	Neviseu	400,00	003009

Vous souhaitez des renseignements complémentaires sur cette machine ?





	BALOUT	Revised		
PACK BALOUT / TOOLING	CBID	Revised		
	CBIG	Revised		
	MACGS	Revised		
	PATHR4K	Revised		
	PATHBL4K	Revised	388,00	OC4077
	PAR55	Revised	300,00	004077
	VVDS05	Revised		
	CGRO	Revised		
	CPIDQS	Revised		
	PBTRI100	Revised		
	CBIDS	Revised		



Would you like more information about this machine?



N°OC4097

Gross price Excl. Tax	Price to be defined
Transport	Not included, possibility to quote the transport
Warranty	6 months, revised
Lead time	

STANDARD EQUIPMENT

- Top blade holder and cutting angle control tilts between 0°30' to 2°3 depending on thickness
- 18 sheet metal clamping cylinders to ensure optimal sheet metal holding before and during cutting
- Manual blade clearance adjustment by buttons on the control box
- Power supply: 400V, three-phase, earth and neutral



Hydraulic guillotine shear 4m x 6 mm

GENERAL CHARACTERISTICS

Dimensions: 4730 x 2938 x 2000 mm

Weight: 9 200 Kg

CAPACITIES

- Maxi steel S235 cutting capacity: 6 mm
- Adjustable cutting length: 4000 mm
- Distance between table and cylinders: 10 mm
- Adjustable cutting angle: 0.5 to 2.5 degrees
- Rear guide capacity: 20 to 1000 mm
- Maximum working pressure: 280 bar
- Main motor power: 11kW

Offer available on our website: https://www.jouanel.com/en/page/second-hand-machines.php

Would you like more information about this machine?





N°OC4090

Gross price Excl. Tax	13 460 €
Transport	Not included, possibility to quote the transport
Warranty	6 months, revised
Lead time	

STANDARD EQUIPMENT

- Non-motorized and manual brake
- Manual hydraulic expansion of 470 to 560 mm



Open Side Decoiller

GENERAL CHARACTERISTICS

• Width: 1500 mm

• Maximum weight: 3 tons

Offer available on our website: https://www.jouanel.com/en/page/second-hand-machines.php

0,

Would you like more information about this machine?



N°OC4091

Ref. JOUANEL PAL2040	Ref. JOUANEL	PAL2040
----------------------	--------------	---------

Gross price Excl. Tax	900 €
Transport	Not included, possibility to quote the transport
Warranty	6 months, revised
Lead time	Available

STANDARD EQUIPMENTS

- Lightweight and robust aluminum design
- Multifunctional: gripper, bend and flange
- Easily transportable to construction sites
- Equipped with 4 hinges between the gripper and the table ensuring perfect rigidity and folding hold
- Adaptable to trestles
- Equipped as standard with a baguette and a Ø13 mm rod
- 2 cranks: left and right



"Parisian" type manual bending machine for construction sites

GENERAL CHARACTERISTICS

Useful bending length: 2000 mm

• Zinc capacity: 0.65 mm

Bending depth on 2M: 100 mm

• No depth limit on 1M (between handles)

• Passage between handles: 1 070 mm

• Dimensions: 2 200 x 420 x 500 mm

Net weight: 30kgØ rod: 13 mm

Offer available on our website: https://www.jouanel.com/en/page/second-hand-machines.php

V

Would you like more information about this machine?

You can contact +33 2 47 65 47 65 5 (from Monday to Friday 08h00 / 17h00) or send an email to:

sav@jouanel.com



N°OC5007

Gross price Excl. Tax	4 500 €
Transport	Not included, possibility to quote the transport
Warranty	6 months, revised repainted
Lead time	To be defined

STANDARD EQUIPMENT

- Segmented clamp, table and deck in tempered steel
- Automatic locking of the clamp
- Adjustable deck in height to modify the radius and the used matter.
- Anvil to the right and left sides
- Adjustable height and pressure
- Pedal to clamp / let loose
- Two operating handles of the deck



Powerful and handy, this segmented folder is specially designed for folding works needing the realization of complexes forms.

GENERAL FEATURES

Weight: 385 kg

• Dimensions in cm: 135 x 85

CAPACITIES

- Maximum folding length: 1,27m
- Maximum folding angle: 150°
- Stainless steel / aluminum 1050-H44 (mm): 1,2 / 2,5
 - S235JR steel capacity in mm: 2

Offer available on our website: https://www.jouanel.com/en/page/second-hand-machines.php



Would you like more information about this machine?



N°OC4085

Ref. JOUANEL	PPS2050
--------------	---------

Gross price Excl. Tax	22 000 €
Transport	Not included, possibility to quote the transport
Warranty	6 months, revised
Lead time	Available upon 1 week

STANDARD EQUIPMENT

- Front metal sheet support 500mm, adjustable for work comfort
- · Rear stopper placed on slide for pieces of small width
- Touchscreen numeric command with management of the Y and X axes, possibility to create a program, save it and update it with a USB key
- Punching of 86° radius 0,6 mm, 550 mm long and / or 800 mm depending on the model
- Control by pedal
- 400V Power supply three-phased + neutral



Reliable, the hydraulic press brakes is equipped of a torsion bar, widely dimensioned assuring a good parallelism of the movable slider during the pressure lowering.

GENERAL FEATURES

Weight: 3 100 kg

• Dimensions (mm): 2550 x 1450 x 1950

CAPACITY

Folding useful length: 2,20 m

• Folding capacities: 50 tons maximum

Offer available on our website: https://www.jouanel.com/en/page/second-hand-machines.php

Would you like more information about this machine?





N°OC4079

INCI. JOUANEL CLPIC	Ref. JOUANEL	CLP1C
---------------------	--------------	-------

Gross price Excl. Tax	190€
Transport	Not included, possibility to quote the transport
Warranty	6 months, revised
Lead time	Available

STANDARD EQUIPMENT

- Counter spring on the superior blade
- Inferior blade of 150 mm long x 10 mm thick
- Manual blank-holder
- Operating lever



Workbench manual lever-operated shears

CAPACITIES

GENERAL FEATURES

- Weight: 12 kg
- Dimensions in mm : 280 x 110 x 640
- Lower blades' height in mm: 125 x 10
- Cutting galvanized steel on the whole length: 2
- Flat iron in galvanized steel in mm: 60 x 3
- Round iron in galvanized steel in mm: 8
- Movement transmitted by rod

Offer available on our website: https://www.jouanel.com/en/page/second-hand-machines.php

Would you like more information about this machine?



You can contact +33 2 47 65 47 65 5 (from Monday to Friday 08h00 / 17h00) or send an email to:

sav@jouanel.com



N°OC4012

Ref. JOUANEL CCM

Gross price Excl. Tax320 €TransportNot included, possibility to quote the transportWarranty6 months, revisedLead timeAvailable

STANDARD EQUIPMENT

- Aluminum body, easy to handle and sturdy
- Tempered steel rollers for a better lifetime
- Guide rail and grip handle guaranteeing cutting accuracy



Roller shear

GENERAL FEATURES

• Capacity:

1 /	
Zinc	0,8 mm
Steel	0,7 mm
Aluminum 1050-	0,8 mm
H44	

COMPATIBLE MACHINES

- PBS2040 2540
- PCH1020
- PCL1020 1020A
- PCX1020
- PCX2040 2040A 2540 3040 3080
- PZA2040 2040A
- PZX2040 2540

Offer available on our website: https://www.jouanel.com/en/page/second-hand-machines.php

Would you like more information about this machine?





N°OC4013

Ref. JOUANEL CCMA

Gross price Excl. Tax	350 €
Transport	Not included, possibility to quote the transport
Warranty	6 months, revised
Lead time	Available

STANDARD EQUIPMENT

- Aluminum body, easy to handle and sturdy
- Tempered steel rollers for a better lifetime
- Guide rail and grip handle guaranteeing cutting accuracy



Roller shear

GENERAL FEATURES

COMPATIBLE MACHINES

• Capacity:

Zinc	0.8 mm
Steel	0.63 mm
Alu	0.8 mm

All folders with a CCMA compatible rail

Offer available on our website: https://www.jouanel.com/en/page/second-hand-machines.php

Would you like more information about this machine?





N°OC4093

Gross price Excl. Tax	350 €
Transport	Not included, possibility to quote the transport
Warranty	6 months, revised
Lead time	Available

STANDARD EQUIPMENT

 Geared-down beading accessory with 16 mm Ø stick



Gear reduction system to make very regular beads without effort and 16mm Ø stick for geared-down beading accessory

CAPACITIES

Stic	Stick Ø		Ø 16
Maximum	Zinc /	0.65	0.8
thickness	Copper		
(mm)	Stainless steel	0.4	0.5
	Steel galvanized	0.5	0.6

Offer available on our website: https://www.jouanel.com/en/page/second-hand-machines.php

Would you like more information about this machine?




N°OC4066

Ref. JOUANEL	PALCD420 (Double hinge dripe hedge benders)
Cross price Evel Tay	F24 <i>C</i>

Gross price Excl. Tax	521 €
Transport	Not included, possibility to quote the transport
Warranty	6 months, revised
Lead time	Available

STANDARD EQUIPMENT

- An innovative 2-axis clamping and bending system
- A single clamp replaces the straight clamp and the angled clamp
- Only one positioning to fold down the drip edge, maximum time saving
- Easy and reproducible folding, without marking
- Suitable for standing seam trays made with 500 and 650mm coils
- Weatherproof clamp, made of stainless steel and aluminum



This new innovative system of folding machines with double fold drip edges allows rapid shaping of the drip edge at the level of the sewer strip in a standing seam.

GENERAL FEATURES

• Dimensions: l. 420mm x H.355mm

• Open length: 520 mm

• Weight: 1790g

Offer available on our website: https://www.jouanel.com/en/page/second-hand-machines.php

Would you like more information about this machine?





N°OC4082

Ref. JOUANEL	PBD100
INCI. SOUMINEE	L PD 100

Gross price Excl. Tax	46€
Transport	Not included, possibility to quote the transport
Warranty	6 months, revised
Lead time	Available

STANDARD EQUIPMENT

Right clamp

Fold width: 100 mmFold depth: 100 mm

Crossed-hinge

• PVC-coated handle for a comfortable use



Right clinching pliers

GENERAL FEATURES

Tool overall length :270 mm

• Tool overall width: 100 mm

Offer available on our website: https://www.jouanel.com/en/page/second-hand-machines.php

Would you like more information about this machine?





N°OC4086

Ref. JOUANEL	PLI01K8
Ref. JOUANEL	PLI01K8

Gross price Excl. Tax	250€
Transport	Not included, possibility to quote the transport
Warranty	6 months, revised
Lead time	Available

STANDARD EQUIPMENT

- Leaves no trace on pre-patinated and prelacquered sheets
- Made with non-oxidizing materials
- Handy clamp, compacts and designed especially for quality achievement
- Sturdy, the folder is perfect for starting seam for short facades or with difficult access



Extremely sturdy, light and handy, this tool is designed to close the first seam of standing seams' trays. It's ideal for heads' link fixation, short facades or difficult access.

GENERAL FEATURES

Weight: 2,2 kg

CUT CAPACITIES

Working width: 250 mm

Closing seam width: 180 mm

• Maximum width of utilization :

o Aluminum, copper, zinc: 0,8 mm

o Steel: 0.8 mm

o Stainless steel: 0.5 mm

Offer available on our website: https://www.jouanel.com/en/page/second-hand-machines.php

Would you like more information about this machine?





N°OC4088

Gross price Excl. Tax	94€
Transport	Not included, possibility to quote the transport
Warranty	6 months, revised
Lead time	Available

STANDARD EQUIPMENT

- For standing seam profile trays
- Enables a rapid and economic implementation



Allows to close the 1st seam of trays in standing seam, roofing or cladding

GENERAL FEATURES

FOLDING CAPACITY

Weight: 1 930g

o Dimensions: 390 mm x 220 mm

Working width: 220 mm

Offer available on our website: https://www.jouanel.com/en/page/second-hand-machines.php

Would you like more information about this machine?



You can contact +33 2 47 65 47 65 5 (from Monday to Friday 08h00 / 17h00) or send an email to: sav@jouanel.com

JOUANEL Industrie S.A. • 30 rue des Saulniers • 37800 Sainte-Maure-de-Touraine
Tél. : +33 (0)2 47 65 40 67 • Fax : +33 (0)2 47 65 51 60
Email : info@jouanel.com • Website : www.jouanel.com
SA au capital de 61 060 • RCS TOURS B 331 327 072 00020 - Code NAF : 294 A - N'identifiant TVA : FR 15331327072




N°OC4089

INCI. JOURINEL PLIUZINIVI	Ref. JOUANEL	PLI02NM
---------------------------	--------------	---------

Gross price Excl. Tax	106€
Transport	Not included, possibility to quote the transport
Warranty	6 months, revised
Lead time	Available

STANDARD EQUIPMENT

- For standing seam profile trays
- Enables a rapid and economic implementation



 2^{nd} seam folder of trays in standing seam, roofing or cladding

GENERAL FEATURES

FOLDING CAPACITY

Weight: 2 240g

o Dimensions: 450 mm x 220 mm

Working width: 220 mm

Offer available on our website: https://www.jouanel.com/en/page/second-hand-machines.php

Would you like more information about this machine?





N°OC4069

Gross price Excl. Tax	160 €
Transport	Not included, possibility to quote the transport
Warranty	6 months, revised and repainted
Lead time	Available

STANDARD EQUIPMENT

- Folds evenly along the whole length, starting from a 135° fold
- Closes hems at 180° in just one run
- A real time saver
- Capacity of folding 0.8 mm steel
- 4 sets of rollers
- · adjustable upper roller in position and depth
- 2 adjusting wheels
- 2 grip handles



Starting with a 135° seam, the OFP-180 tool enables you to seam at 180° in just one quick and comfortable run, thanks to its 4 sets of rollers

GENERAL FEATURES

- 4 sets of rollers
- Adjustable upper roller in position and depth
- Capacity steel: 0.8 mmNet weight: 1.8 kg

Offer available on our website: https://www.jouanel.com/en/page/second-hand-machines.php

Would you like more information about this machine?






N°OC4068

Ref. JOUANEL	PLIMDC3-200

Gross price Excl. Tax	427 €
Transport	Not included, possibility to quote the transport
Warranty	6 months, revised
Lead time	Available

STANDARD EQUIPMENT

- Seams on large lengths
- 3 rolls for a better guidance
- 2 folder rollers made of treated steel, inclined at 10°
- Monobloc body in anodized stainless steel
- Columns, rolls and axis made of stainless steel
- Graduations in mm, indelible laser engraving
- Fast locking edge height by 2 butterfly handles



Its large coated handle allows a very good handling of the tool and its 2 folder rollers improve the stability of the sheet and the quality of folding on some edges of large dimension.

GENERAL FEATURES

3 rolls edge height: 5 to 200 mm

• Weight: 3 075 g

FOLDING CAPACITY

Zinc and aluminum: 1.0 mm

Copper: 0.8 mmSteel: 0.7 mm

• Stainless steel: 0.5 mm

Offer available on our website: https://www.jouanel.com/en/page/second-hand-machines.php

Would you like more information about this machine?





N°OC5003

Ref. JOUANEL	PLIMDC3-350

Gross price Excl. Tax	€
Transport	Not included, possibility to quote the transport
Warranty	6 months, revised
Lead time	Available

STANDARD EQUIPMENT

- 3 guide rollers
- 2 Treated steel brake rollers
- One-piece body aluminum, machined and anodized
- Graduations in mm, indelible laser engraving
- · Double lifting height lock by butterfly handles
- Sheathed handle
- Fabric storage pocket



Its large coated handle allows a very good handling of the tool and its 2 folder rollers improve the stability of the sheet and the quality of folding on some edges of large dimension.

GENERAL FEATURES

- Double column
- 3 guide rollers
- Edge height from 5 to 350 mm

CAPACITES

Zinc / aluminum	1.0mm
Copper	0.8mm
Steel	0.7mm
Stainless steel	0.5mm

Offer available on our website: https://www.jouanel.com/en/page/second-hand-machines.php



Would you like more information about this machine?




N°OC4084

Gross price Excl. Tax	268 €
Transport	Not included, possibility to quote the transport
Warranty	6 months, revised
Lead time	Available

STANDARD EQUIPMENT

- For straight or curved sheets
- 4 guide rolls
- Folder roller made of hardened steel, inclined at 10°
- Graduations in mm, indelible laser engraving
- Fast locking of edge height by butterfly handle
- Handle enabling to keep a correct handling of the tool, even with a maximum edge height



Hand edge rollers with single column, 2 guide rolls enabling to make seams and counter-seams with small and large lengths from 5 to 200 mm of height and up to 100°. It is also possible to use these edge rollers on curved parts.

GENERAL FEATURES

FOLDING CAPACITY

• 2 rolls edge height: 5 to 200 mm

• Weight: 1 665 g

Zinc / Aluminum : 1.0 mm
Copper / steel : 0.8 / 0.7
Stainless steel : 0.5 mm

Offer available on our website: https://www.jouanel.com/en/page/second-hand-machines.php

Would you like more information about this machine?






N°OC5008

Ref. JOUANEL	PLIMSD1-040
ICI. JOOAINEE	

Gross price Excl. Tax	182 €
Transport	Not included, possibility to quote the transport
Warranty	6 months, revised and repainted
Lead time	Available

STANDARD EQUIPMENT

- Single-piece body made of aluminum, machined and anodized
- 1 roll in stainless steel
- 1 folder roller made of 100-mm diameter hardened steel
- · Removable handle
- Fabric storage pocket



Single disk hand edge roller equipped with a disk and a disengageable guide roll to make 180° hems.

CAPACITIES

Weight: 630 g

OPTIONS

High edge: 8 to 40 mm

• Bending:

Zinc / aluminum	1.0 mm
Copper	0.8 mm
Steel	0.7 mm
Stainless steel	0.5 mm

Offer available on our website: https://www.jouanel.com/en/page/second-hand-machines.php

Would you like more information about this machine?



You can contact +33 2 47 65 47 65 5 (from Monday to Friday 08h00 / 17h00) or send an email to:

sav@jouanel.com



N°OC5004

Ref. JOUANEL	PLIMSC-VAL
	1 2117100 7712

Gross price Excl. Tax	€
Transport	Not included, possibility to quote the transport
Warranty	6 months, revised
Lead time	Available

STANDARD EQUIPMENT

- Injected polypropylene case,
- Black rusticated foam 10+40mm, in the lid
- · Double lid handles and bottom
- 2 clip clasps



Single-column PLIMSC transport case and for PLIMSD1-040

GENERAL FEATURES

- Weight: 1 100 g

- Dimensions: 340 mm x 160 mm x 300 mm

Offer available on our website: https://www.jouanel.com/en/page/second-hand-machines.php

Would you like more information about this machine?





N°OC5009

Gross price Excl. Tax	480 €
Transport	Not included, possibility to quote the transport
Warranty	6 months
Lead time	Available

STANDARD EQUIPMENT

- Carrying case
- Flaring unit ∅ 80
- Flaring unit \emptyset 100
- A perfectly adjusted fit for joining pipes
- Adjustable flaring depth
- Flaring rollers with needle bearings
- Mounted on an aluminum unit
- Usable on copper, zinc, stainless steel and aluminum pipes
- Adaptable without tools on all screwguns



Easy to use directly on the worksite, flaring units for downpipes make it possible to easily and evenly electric welded (ERW) downpipes.

GENERAL FEATURES

- Flaring depth max: 100 mm max
- Flaring rate: between 150t/ min and 500 t/ min
- Max capacity 400 N/mm2 steel and stainless steel: 0.5 mm
- Max capacity zinc / ¼ hard copper : 0.8 mm
- Net weight of set with carrying case: 3.7 kg

Offer available on our website: https://www.jouanel.com/en/page/second-hand-machines.php



Would you like more information about this machine?

You can contact +33 2 47 65 47 65 5 (from Monday to Friday 08h00 / 17h00) or send an email to: sav@jouanel.com

JOUANEL Industrie S.A. • 30 rue des Saulniers • 37800 Sainte-Maure-de-Touraine
Tél. : +33 (0)2 47 65 40 67 • Fax : +33 (0)2 47 65 51 60
Emall : info@jouanel.com • Website : www.jouanel.com
SA au capital de 61 060 € - RCS TOURS B 331 327 072 00020 - Code NAF : 294 A - N'identifiant TVA : FR 15331327072



N°OC4077

Ref. JOUANEL PACK BALOUT AND TOOLING

Gross price Excl. Tax 388 €

Transport Not included, possibility to quote the transport

Lead time Available

STANDARD EQUIPMENT

- BALOUT x1: Luggage for tools in reinforced textile, 18 pockets
- CBID x1 : Shape and straight cutting snips, cut to the right, 280mm
- CBIG x1: Shape and straight cutting snips, cut to the left, 280mm
- MACD x1: Right slater's hammer, wooden handle, wide peen
- PATHR4K x1 : Red tracing powder of high quality, 4 kg
- PATHBL4K x1 : Black tracing powder of high quality, 4
- PAR55G x1 : Cutting punching clamp for slates, blade of 55 mm
- VVDS05 x2 : stretcher for straps 10 to 20 mm wide
- CGRO x2 : Oblong nibbler shear 35 x 3 mm
- CPIDQS x1 : Shear pass sheeting pelican-shaped QS, with spring
- PBTRI100 x1 : Triangular clinching pliers, 100 mm, 100 mm depth



CBID and CBIG : Designed for small cuts of complexes forms – Counter spring removable and PVC coated handles

MACGS: Tool forged and polished – Wide peen for a better hand release – Sharp tip allowing to put holes in the slate to nail it – Nail-puller

BALOUT : Maximum weight : 15 kg – Velcro fastener – Size (mm) : 520 x 260 x 250 – Transport bar with foam

PATHR4K: Red powder of high quality – Made in France – Storage in jug

PATHBL4K: Blue powder of high quality - Made in France - Storage in jug

Would you like more information about this machine?



You can contact +33 2 47 65 47 65 5 (from Monday to Friday 08h00 / 17h00) or send an email to:

sav@jouanel.com



PAR55G: Cuts' width: 7 mm maximum – Punching diameter: 3,2 mm – Shearing length: 2,8 mm – Graduation of 60 mm – The blades, matrices, punching, springs and handles are interchangeable

VVDS05: Width of stretcher for straps: 10 to 20 mm – Width: 0,5 mm – Useable on stainless steel, galvanized steel coated, aluminum and blued steel

CGRO: Adjustable cuts' width with a simple setting – Oblong's size: 35 x 3 mm – Zinc and aluminum capacity: 0,8 mm / steal: 0,6 mm

CPIDQS: Blades and branches forged – Long and strong blades to ease the continuous strikes – Stopper anti-pinching fingers – Counter spring removable – Capacities: steel: 0,6 mm; copper / aluminum: 1,2 mm, stainless steel: 0,4 mm

PBTRI100: Versatile clamp – Crossed-hinge for more strength – Fold width: 100 mm – Handle PVC-coated for a comfortable utilization.

Offer available on our website: https://www.jouanel.com/en/page/second-hand-machines.php

Would you like more information about this machine?

