

# Fabricant depuis 1948 • Manufacturer since 1948

# **OUR SECOND-HAND MACHINES**

JOUANEL Industrie gives you the opportunity to purchase machines and equipment at rock-bottom prices!

These are second-hand machines taken back from our clients as they bought new JOUANEL equipment, or returning from trade shows and demonstration. They are completely mechanically overhauled, reconditioned up to the current standards, repainted for most of them and ready to operate for many years in your workshops.

You benefit from a 6-month guarantee for these machines.

You can consult our second-hand machines offers on our PDF file, which is regularly updated depending on the current availability...Time to take advantage of our good bargains!

www.jouanel.com





# **SECOND HAND MACHINES PRICES / 2024**

TYPE OF MACHINE	REFERENCES	COMMENTS	GROSS PRICE EXCL. TAX €	N° INTERNES
DECOILLER	DPF153MHM	Revised	13 460,00	OC4090
CONSTRUCTION BENDING	PCA2040	Revised	2 900,00	OC5011
MACHINE				
MANUAL BENDING MACHINE	PCX2040A	Revised	3 100,00	OC5013
MANUAL LEVER-OPERATED SHEAR	CLP1C	Revised	190,00	OC4079
	COM	Destand	220.00	001013
ROLLER SHEAR	CCM CCMA	Revised	320,00	OC4012 OC4013
	CCIMA	Revised	350,00	004013
	ABH14-16-2040	Revised		
BEADING ACCESSORY	BAH16-2040	Revised	350,00	OC4093
DENDING ACCESSOR	BAH14-2040	Revised	330,00	00.035
ACCESSORIES FOR BENDING	RCX2040A	Revised	400.00	0.5504.0
MACHINE	ССМ	Revised	480,00	OC5010
DOUBLE HINGER BENDERS	PALCD420	Revised	521,00	OC4066
	_			
CLINCHING PLIERS	PBD100	Revised	46,00	OC4082
	PLI01K8	Revised	250,00	OC4086
SEAM FOLDER	PLI01NM	Revised	94,00	OC4088
	PLI02NM	Revised	106,00	OC4089
TOOL TO CLOSE HEMS	OFP-180	Revised	160,00	OC4069
LIGHT SEAMER	SRLT12	Révisée	1 100,00	OC5012
	PLIMDC3-200	Revised	427,00	OC4068
HAND EDGE ROLLERS	PLIMDC3-350	Revised	483,00	OC5003
	PLIM-SD4-040	Revised	182,00	OC5008
FLARING TOOL	EVA-GAL80-100-VAL	Revised	480,00	OC5009

Vous souhaitez des renseignements complémentaires sur cette machine ?





	BALOUT	Revised		
	CBID	Revised	200.00	004077
	CBIG	Revised		
	MACGS	Revised		
	PATHR4K	Revised		
	PATHBL4K	Revised		
DACK DALOUT / TOOLING	PAR55G	Revised		
PACK BALOUT / TOOLING	VVDS05	Revised	388,00	OC4077
	CGRO	Revised		
	CPIDQS	Revised		
	PBTRI100	Revised		
	CBIDS	Revised		
	PBD40	Revised		
	PBC40	Revised		

Vous souhaitez des renseignements complémentaires sur cette machine ?





# N°OC4090

Gross price Excl. Tax	13 460 €
Transport	Not included, possibility to quote the transport
Warranty	6 months, revised
Lead time	

#### STANDARD EQUIPMENT

- Non-motorized and manual brake
- Manual hydraulic expansion of 470 to 560 mm



Open Side Decoiller

## **GENERAL CHARACTERISTICS**

• Width: 1500 mm

• Maximum weight: 3 tons

Offer available on our website: https://www.jouanel.com/en/page/second-hand-machines.php

# 0,

## Would you like more information about this machine?



# N°OC5011

Ref. JOUANEL	PCA2040 (Ø14 mm stick and beading accessory
	included)

Gross price Excl. Tax	2 900€ (Demonstration machine)
Transport	Not included, possibility to quote the transport
Warranty	6 months, revised
Lead time	Available

#### STANDARD EQUIPMENTS

- Interchangeable clamp ruler
- Apron with 15mm ruler
- Clamp lever
- Quick clamping by eccentric
- Apron bulging device
- Beading accessory item ref. ABH14-16-2040 and Ø14 mm rod item ref. BAH14-2040 included



Lightweight manual construction site bending machine

#### **GENERAL FEATURES**

- Dimensions in mm: 2,330 x 650 x 1,070
- Gross weight (kg): 80
- Useful bending length: 2,040 mm
- Capacities:
  - o Zinc / Aluminium 1050-H44: 0.8 mm
  - o S235JR steel: 0.63 mm
- Clamp opening: 60 mm

#### **OPTIONS**

- o CCMA
- o Guide Rail

Offer available on our website: <a href="https://www.jouanel.com/en/page/second-hand-machines.php">https://www.jouanel.com/en/page/second-hand-machines.php</a>

Would you like more information about this machine?





# N°OC5013

Ref. JOUANEL	PCX2040A
--------------	----------

Gross price Excl. Tax	3 100 €
Transport	Not included, possibility to quote the transport
Warranty	6 months, revised
Lead time	Available

## STANDARD EOUIPMENTS

- Narrow apron 15mm
- 27° clamp ruler
- Cylinder for easy opening of the gripper
- Quick adjustment of the clamp by eccentric
- Adjustable table, clamp and apron for greater precision
- Graduated angle stop for series bends Adjusting the crowning of the apron
- Removable feet



Manual folding machine for construction sites or workshops

## **GENERAL CHARACTERISTICS**

Dimensions: 2 260 x 1 040 x 600 mm

Gross weight: 160 kg

Useful folding length: 2 040 mm

• Opening the clamp: 70 mm

• Minimum Fold Width: 15x the width

• Capacities:

Stainless steel /	0.6 / 1.0 mm
Aluminum 1050-H44	
Zinc / steel S235JR	1,0 / 0.7 mm

## **EQUIPMENT**

#### Machine sold with:

- Zinc cutter (ref. CCMA)
- Rail
- ABH + Ø 14 rod (possibility of a Ø16 on request)
- Clamping / loosening pedal

Offer available on our website: https://www.jouanel.com/en/page/second-hand-machines.php

## Would you like more information about this machine?





# N°OC4079

Ref. JOUANEL	CLP1C

Gross price Excl. Tax	190€
Transport	Not included, possibility to quote the transport
Warranty	6 months, revised
Lead time	Available

# STANDARD EQUIPMENT

- Counter spring on the superior blade
- Inferior blade of 150 mm long x 10 mm thick
- Manual blank-holder
- Operating lever



Workbench manual lever-operated shears

#### **CAPACITIES**

## **GENERAL FEATURES**

- Weight: 12 kg
- Dimensions in mm : 280 x 110 x 640
- Lower blades' height in mm: 125 x 10
- Cutting galvanized steel on the whole length: 2
- Flat iron in galvanized steel in mm :  $60 \times 3$
- Round iron in galvanized steel in mm: 8
- Movement transmitted by rod

Offer available on our website: https://www.jouanel.com/en/page/second-hand-machines.php

## Would you like more information about this machine?



You can contact +33 2 47 65 47 65 5 (from Monday to Friday 08h00 / 17h00) or send an email to:



N°OC4012

Ref. JOUANEL CCM

Gross price Excl. Tax320 €TransportNot included, possibility to quote the transportWarranty6 months, revisedLead timeAvailable

## STANDARD EQUIPMENT

- Aluminum body, easy to handle and sturdy
- Tempered steel rollers for a better lifetime
- Guide rail and grip handle guaranteeing cutting accuracy



## Roller shear

## **GENERAL FEATURES**

#### • Capacity:

• •	
Zinc	0,8 mm
Steel	0,7 mm
Aluminum 1050-	0,8 mm
H44	

## **COMPATIBLE MACHINES**

- PBS2040 2540
- PCH1020
- PCL1020 1020A
- PCX1020
- PCX2040 2040A 2540 3040 3080
- PZA2040 2040A
- PZX2040 2540

Offer available on our website: <a href="https://www.jouanel.com/en/page/second-hand-machines.php">https://www.jouanel.com/en/page/second-hand-machines.php</a>

## Would you like more information about this machine?





# N°OC4013

Ref. JOUANEL	CCMA

Gross price Excl. Tax	350 €
Transport	Not included, possibility to quote the transport
Warranty	6 months, revised
Lead time	Available

# STANDARD EQUIPMENT

- Aluminum body, easy to handle and sturdy
- Tempered steel rollers for a better lifetime
- Guide rail and grip handle guaranteeing cutting accuracy



# Roller shear

## **GENERAL FEATURES**

## **COMPATIBLE MACHINES**

• Capacity:

Zinc	0.8 mm
Steel	0.63 mm
Alu	0.8 mm

• All folders with a CCMA compatible rail

Offer available on our website: <a href="https://www.jouanel.com/en/page/second-hand-machines.php">https://www.jouanel.com/en/page/second-hand-machines.php</a>

# Would you like more information about this machine?





# N°OC4093

Gross price Excl. Tax	350 €
Transport	Not included, possibility to quote the transport
Warranty	6 months, revised
Lead time	Available

# STANDARD EQUIPMENT

 Geared-down beading accessory with Ø 16 mm stick or Ø14 mm stick.



Gear reduction system to make very regular beads without effort and 16mm  $\emptyset$  stick or  $\emptyset$  14mm for geared-down beading accessory

## **CAPACITIES**

Stic	:k Ø	Ø 14	Ø 16
Maximum	Zinc /	0.65	0.8
thickness	Copper		
(mm)	Stainless steel	0.4	0.5
	Steel galvanized	0.5	0.6

Offer available on our website: <a href="https://www.jouanel.com/en/page/second-hand-machines.php">https://www.jouanel.com/en/page/second-hand-machines.php</a>





# N°OC5010

Ref. JOUANEL	RCX2040A + CCM
Gross price Excl. Tax	<b>4</b> 8∩€

Transport Not included, possibility to quote the transport

Warranty 6 months, revised

Lead time Available

## STANDARD EOUIPMENTS

- Folding device on the front of the bending machine
- Allows the use of the CCM Wheel Knife for cutting material to the pre-bend path
- CCM cutting capacities : Zinc : 0,8 mm



Guide rail with CCM wheel knife, for PCX2040A bending machine

Offer available on our website: <a href="https://www.jouanel.com/en/page/second-hand-machines.php">https://www.jouanel.com/en/page/second-hand-machines.php</a>

## Would you like more information about this machine?



You can contact  $+33\ 2\ 47\ 65\ 47\ 65\ 5$  (from Monday to Friday  $08h00\ /\ 17h00$ ) or send an email to:




# N°OC4066

Ref. JOUANEL	PALCD420 (Double hinge dripe hedge benders)

Gross price Excl. Tax	521 €
Transport	Not included, possibility to quote the transport
Warranty	6 months, revised
Lead time	Available

# STANDARD EQUIPMENT

- An innovative 2-axis clamping and bending system
- A single clamp replaces the straight clamp and the angled clamp
- Only one positioning to fold down the drip edge, maximum time saving
- Easy and reproducible folding, without marking
- Suitable for standing seam trays made with 500 and 650mm coils
- Weatherproof clamp, made of stainless steel and aluminum



This new innovative system of folding machines with double fold drip edges allows rapid shaping of the drip edge at the level of the sewer strip in a standing seam.

#### **GENERAL FEATURES**

• Dimensions: l. 420mm x H.355mm

• Open length: 520 mm

• Weight: 1790g

Offer available on our website: <a href="https://www.jouanel.com/en/page/second-hand-machines.php">https://www.jouanel.com/en/page/second-hand-machines.php</a>

## Would you like more information about this machine?





# N°OC4082

Gross price Excl. Tax	46€
Transport	Not included, possibility to quote the transport
Warranty	6 months, revised
Lead time	Available

# STANDARD EQUIPMENT

Right clamp

Fold width: 100 mmFold depth: 100 mm

Crossed-hinge

• PVC-coated handle for a comfortable use



Right clinching pliers

## **GENERAL FEATURES**

Tool overall length :270 mm

• Tool overall width: 100 mm

Offer available on our website: https://www.jouanel.com/en/page/second-hand-machines.php

## Would you like more information about this machine?






# N°OC4086

Ret. JOUANEL PLI01K8	Ref. JOUANEL	PLI01K8
----------------------	--------------	---------

Gross price Excl. Tax	250€
Transport	Not included, possibility to quote the transport
Warranty	6 months, revised
Lead time	Available

# STANDARD EQUIPMENT

- Leaves no trace on pre-patinated and prelacquered sheets
- Made with non-oxidizing materials
- Handy clamp, compacts and designed especially for quality achievement
- Sturdy, the folder is perfect for starting seam for short facades or with difficult access



Extremely sturdy, light and handy, this tool is designed to close the first seam of standing seams' trays. It's ideal for heads' link fixation, short facades or difficult access.

#### **GENERAL FEATURES**

Weight: 2,2 kg

## **CUT CAPACITIES**

Working width: 250 mm

Closing seam width: 180 mm

• Maximum width of utilization :

o Aluminum, copper, zinc: 0,8 mm

o Steel: 0.8 mm

o Stainless steel: 0.5 mm

Offer available on our website: https://www.jouanel.com/en/page/second-hand-machines.php

## Would you like more information about this machine?






# N°OC4088

Gross price Excl. Tax	94€
Transport	Not included, possibility to quote the transport
Warranty	6 months, revised
Lead time	Available

# STANDARD EQUIPMENT

- · For standing seam profile trays
- Enables a rapid and economic implementation



Allows to close the 1st seam of trays in standing seam, roofing or cladding

#### **GENERAL FEATURES**

**FOLDING CAPACITY** 

Weight: 1 930g

o Dimensions: 390 mm x 220 mm

Working width: 220 mm

Offer available on our website: https://www.jouanel.com/en/page/second-hand-machines.php

## Would you like more information about this machine?



You can contact +33 2 47 65 47 65 5 (from Monday to Friday 08h00 / 17h00) or send an email to: sav@jouanel.com

JOUANEL Industrie S.A. • 30 rue des Saulniers • 37800 Sainte-Maure-de-Touraine
Tél. : +33 (0)2 47 65 40 67 • Fax : +33 (0)2 47 65 51 60
Email : info@ jouanel.com • Website : www.jouanel.com
SA au capital de 61 060 € - RCS TOURS B 331 327 072 00020 - Code NAF : 294 A - N'identifiant TVA : FR 15331327072




# N°OC4089

Ref. JOUANEL	PLI02NM

Gross price Excl. Tax	106€
Transport	Not included, possibility to quote the transport
Warranty	6 months, revised
Lead time	Available

# STANDARD EQUIPMENT

- · For standing seam profile trays
- Enables a rapid and economic implementation



2<sup>nd</sup> seam folder of trays in standing seam, roofing or cladding

#### **GENERAL FEATURES**

**FOLDING CAPACITY** 

o Weight: 2 240g

o Dimensions: 450 mm x 220 mm

Working width: 220 mm

Offer available on our website: https://www.jouanel.com/en/page/second-hand-machines.php

## Would you like more information about this machine?





# N°OC4069

Ref. JOUANEL	OFP-180
--------------	---------

Gross price Excl. Tax	160 €	
Transport	Not included, possibility to quote the transport	
Warranty	6 months, revised and repainted	
Lead time	Available	

# STANDARD EQUIPMENT

- Folds evenly along the whole length, starting from a 135° fold
- Closes hems at 180° in just one run
- A real time saver
- Capacity of folding 0.8 mm steel
- 4 sets of rollers
- · adjustable upper roller in position and depth
- 2 adjusting wheels
- 2 grip handles



Starting with a 135° seam, the OFP-180 tool enables you to seam at 180° in just one quick and comfortable run, thanks to its 4 sets of rollers

## **GENERAL FEATURES**

- 4 sets of rollers
- Adjustable upper roller in position and depth
- Capacity steel: 0.8 mmNet weight: 1.8 kg

Offer available on our website: <a href="https://www.jouanel.com/en/page/second-hand-machines.php">https://www.jouanel.com/en/page/second-hand-machines.php</a>

## Would you like more information about this machine?





# N°OC5012

Ref. JOUANEL SRLT12

Gross price Excl. Tax

1 100€

Transport

Warranty

Lead time

Not included, possibility to quote the transport

6 months, revised

Available

## STANDARD EQUIPMENTS

- Crimping block Fold N°1 and Fold N°2 reversible
- Quick locking/release by lever
- Adjustment for profile height (25mm or 32mm)
- Support castors
- Screwdriver fixing device
- Hollowed out rollers in corrosion-resistant treated steel
- 3 sets of rollers
- Fall arrest ring
- Transport case



Lightweight construction crimping machine for folds N°1 and N°2 of standing seam bins

## **GENERAL FEATURES**

- Dimensions in mm: 332 x 244 x 115
- Net weight with case: 5.5 kg
- Transport case: Yes

# **CAPACITIES**

- 1st fold:
  - o Zinc / Copper / Alu: 0.8 mm
  - o Steel: 0.7 mm
- 2nd fold:
  - o Zinc / Copper / Alu: 0.8 mm
  - o Steel: 0.6 mm

Offer available on our website: https://www.jouanel.com/en/page/second-hand-machines.php

Would you like more information about this machine?






# N°OC4068

Ref. JOUANEL	PLIMDC3-200

Gross price Excl. Tax	427 €
Transport	Not included, possibility to quote the transport
Warranty	6 months, revised
Lead time	Available

# STANDARD EQUIPMENT

- · Seams on large lengths
- 3 rolls for a better guidance
- 2 folder rollers made of treated steel, inclined at 10°
- Monobloc body in anodized stainless steel
- Columns, rolls and axis made of stainless steel
- · Graduations in mm, indelible laser engraving
- Fast locking edge height by 2 butterfly handles



Its large coated handle allows a very good handling of the tool and its 2 folder rollers improve the stability of the sheet and the quality of folding on some edges of large dimension.

## **GENERAL FEATURES**

3 rolls edge height: 5 to 200 mm

• Weight: 3 075 g

## **FOLDING CAPACITY**

Zinc and aluminum: 1.0 mm

Copper: 0.8 mmSteel: 0.7 mm

• Stainless steel: 0.5 mm

Offer available on our website: <a href="https://www.jouanel.com/en/page/second-hand-machines.php">https://www.jouanel.com/en/page/second-hand-machines.php</a>

## Would you like more information about this machine?





# N°OC5003

Ref. JOUANEL	PLIMDC3-350

Gross price Excl. Tax	483 €
Transport	Not included, possibility to quote the transport
Warranty	6 months, revised
Lead time	Available

# STANDARD EQUIPMENT

- 3 guide rollers
- 2 Treated steel brake rollers
- One-piece body aluminum, machined and anodized
- · Graduations in mm, indelible laser engraving
- · Double lifting height lock by butterfly handles
- Sheathed handle
- Fabric storage pocket



Its large coated handle allows a very good handling of the tool and its 2 folder rollers improve the stability of the sheet and the quality of folding on some edges of large dimension.

# **GENERAL FEATURES**

- Double column
- 3 guide rollers
- Edge height from 5 to 350 mm

# **CAPACITES**

Zinc / aluminum	1.0mm
Copper	0.8mm
Steel	0.7mm
Stainless steel	0.5mm

Offer available on our website: <a href="https://www.jouanel.com/en/page/second-hand-machines.php">https://www.jouanel.com/en/page/second-hand-machines.php</a>

## Would you like more information about this machine?



You can contact +33 2 47 65 47 65 5 (from Monday to Friday 08h00/17h00) or send an email to:




# N°OC5008

Ref. JOUANEL	PLIMSD1-040

Gross price Excl. Tax	182 €
Transport	Not included, possibility to quote the transport
Warranty	6 months, revised and repainted
Lead time	Available

# STANDARD EQUIPMENT

- Single-piece body made of aluminum, machined and anodized
- 1 roll in stainless steel
- 1 folder roller made of 100-mm diameter hardened steel
- Removable handle
- Fabric storage pocket



Single disk hand edge roller equipped with a disk and a disengageable guide roll to make 180° hems.

## **CAPACITIES**

- Weight: 630 g

## **OPTIONS**

High edge: 8 to 40 mm

• Bending:

Zinc / aluminum	1.0 mm
Copper	0.8 mm
Steel	0.7 mm
Stainless steel	0.5 mm

Offer available on our website: <a href="https://www.jouanel.com/en/page/second-hand-machines.php">https://www.jouanel.com/en/page/second-hand-machines.php</a>

## Would you like more information about this machine?



You can contact +33 2 47 65 47 65 5 (from Monday to Friday 08h00 / 17h00) or send an email to:



# N°OC5009

Gross price Excl. Tax	480 €
Transport	Not included, possibility to quote the transport
Warranty	6 months
Lead time	Available

# STANDARD EQUIPMENT

- Carrying case
- Flaring unit ∅ 80
- Flaring unit  $\emptyset$  100
- A perfectly adjusted fit for joining pipes
- Adjustable flaring depth
- Flaring rollers with needle bearings
- Mounted on an aluminum unit
- Usable on copper, zinc, stainless steel and aluminum pipes
- Adaptable without tools on all screwguns



Easy to use directly on the worksite, flaring units for downpipes make it possible to easily and evenly electric welded (ERW) downpipes.

## **GENERAL FEATURES**

- Flaring depth max: 100 mm max
- Flaring rate: between 150t/ min and 500 t/ min
- Max capacity 400 N/mm2 steel and stainless steel: 0.5 mm
- Max capacity zinc / ¼ hard copper : 0.8 mm
- Net weight of set with carrying case: 3.7 kg

Offer available on our website: <a href="https://www.jouanel.com/en/page/second-hand-machines.php">https://www.jouanel.com/en/page/second-hand-machines.php</a>

## Would you like more information about this machine?



You can contact +33 2 47 65 47 65 5 (from Monday to Friday 08h00 / 17h00) or send an email to: sav@jouanel.com

-



# N°OC4077

Ref. JOUANEL

PACK BALOUT AND TOOLING

Gross price Excl. Tax

388 €

**Transport** 

Not included, possibility to quote the transport

Lead time

Available

## STANDARD EQUIPMENT

- BALOUT x1: Luggage for tools in reinforced textile, 18 pockets
- CBID x1 : Shape and straight cutting snips, cut to the right, 280mm
- CBIG x1: Shape and straight cutting snips, cut to the left, 280mm
- MACD x1: Right slater's hammer, wooden handle, wide peen
- PATHR4K x1 : Red tracing powder of high quality, 4 kg
- PATHBL4K x1 : Black tracing powder of high quality, 4
   kg
- PAR55G x1 : Cutting punching clamp for slates, blade of 55 mm
- VVDS05 x2: stretcher for straps 10 to 20 mm wide
- CGRO x2 : Oblong nibbler shear 35 x 3 mm
- CPIDQS x1: Shear pass sheeting pelican-shaped QS, with spring
- PBTRI100 x1 : Triangular clinching pliers, 100 mm, 100 mm depth
- PBD40 and PBC40: Right clamp Fold width: 40 mm Fold depth: 45 mm



**CBID and CBIG :** Designed for small cuts of complexes forms – Counter spring removable and PVC coated handles

**MACGS**: Tool forged and polished – Wide peen for a better hand release – Sharp tip allowing to put holes in the slate to nail it – Nail-puller

**BALOUT :** Maximum weight : 15 kg – Velcro fastener – Size (mm) : 520 x 260 x 250 – Transport bar with foam

PATHR4K: Red powder of high quality – Made in France – Storage in jug

PATHBL4K: Blue powder of high quality – Made in France – Storage in jug

**PAR55G**: Cuts' width: 7 mm maximum – Punching diameter: 3,2 mm – Shearing length: 2,8 mm – Graduation of 60 mm – The blades, matrices, punching, springs and handles are interchangeable

#### Would you like more information about this machine?



You can contact +33 2 47 65 47 65 5 (from Monday to Friday 08h00 / 17h00) or send an email to:



**VVDS05**: Width of stretcher for straps: 10 to 20 mm – Width: 0,5 mm – Useable on stainless steel, galvanized steel coated, aluminum and blued steel

**CGRO**: Adjustable cuts' width with a simple setting – Oblong's size: 35 x 3 mm – Zinc and aluminum capacity: 0,8 mm / steal: 0,6 mm

**CPIDQS:** Blades and branches forged – Long and strong blades to ease the continuous strikes – Stopper antipinching fingers – Counter spring removable – Capacities: steel: 0,6 mm; copper / aluminum: 1,2 mm, stainless steel: 0,4 mm

**PBTRI100**: Versatile clamp – Crossed-hinge for more strength – Fold width: 100 mm – Handle PVC-coated for a comfortable utilization.

**PBD40 / PBC40 :** Right clamp and bent pliers bent to 45° - Fold width : 40 mm - Fold depth : 45 mm Crossed-hinge - PVC-coated handle for a comfortable utilization

Offer available on our website: https://www.jouanel.com/en/page/second-hand-machines.php

Would you like more information about this machine?

0,