

Fabricant depuis 1948 • Manufacturer since 1948

OUR SECOND-HAND MACHINES

JOUANEL Industrie gives you the opportunity to purchase machines and equipment at rock-bottom prices!

These are second-hand machines taken back from our clients as they bought new JOUANEL equipment, or returning from trade shows and demonstration. They are completely mechanically overhauled, reconditioned up to the current standards, repainted for most of them and ready to operate for many years in your workshops.

You benefit from a 6-month guarantee for these machines.

You can consult our second-hand machines offers on our PDF file, which is regularly updated depending on the current availability...Time to take advantage of our good bargains!

www.jouanel.com





SECOND HAND MACHINES PRICES / 2024

TYPE OF MACHINE	REFERENCES	COMMENTS	GROSS PRICE EXCL. TAX €	N° INTERNES
DECOILLER	DPF153MHM	Revised	13 460,00	OC4090
ELECTRICAL BEADING MACHINE	BAG2040EP	Revised	7 300,00	OC5014
MANUAL SHEAR GUILLOTINE	CGM2050	Revised	6 650,00	OC5015
			2 22 2,22	
ROLL FORMER FOR STANDING	PROBAC-LT-C	Revised	11 000,00	OC5016
SEAM	PROBAC-CPRO	Revised	8 900,00	OC5017
MANUAL BENDING MACHINE	PCX2040A	Revised	2 800,00	OC5013
MANUAL LEVER-OPERATED	CLP1C	Revised	190,00	OC4079
SHEAR				
	ССМ	Revised	320,00	OC4012
ROLLER SHEAR	CCMA	Revised	350,00	OC4012
			222,	
ACCESSORIES FOR BENDING	RCX2040A	Revised	480,00	OC5010
MACHINE	ССМ	Revised	400,00	003010
DOUBLE HINGER BENIEFE	DAT CD 420	D : 1	504.00	001055
DOUBLE HINGER BENDERS	PALCD420	Revised	521,00	OC4066
CLINCHING PLIERS	PBD100	Revised	46,00	OC4082
	, 22 200		10,00	30.002
	PLI01K8	Revised	250,00	OC4086
SEAM FOLDER	PLI01NM	Revised	94,00	OC4088
	PLI02NM	Revised	106,00	OC4089
TOOL TO CLOSE HENGS	OFD 100	Davisad	150.00	064060
TOOL TO CLOSE HEMS	OFP-180	Revised	160,00	OC4069
LIGHT SEAMER	SRLT12	Révisée	1 100,00	OC5012
	PLIMDC3-200	Revised	427,00	OC4068
HAND EDGE ROLLERS	PLIMDC3-350	Revised	483,00	OC5003
	PLIM-SD4-040	Revised	182,00	OC5008
FLARING TOOL	EVA-GAL80-100-VAL	Revised	480,00	OC5009

Would you like more information about this machine?





	BALOUT	Revised		
	CBID	Revised		
	CBIG	Revised		
	MACGS	Revised	200.00	004077
	PATHR4K	Revised		
	PATHBL4K	Revised		
PACK BALOUT / TOOLING	PAR55G	Revised		
	VVDS05	Revised	388,00	OC4077
	CGRO	Revised		
	CPIDQS	Revised		
	PBTRI100	Revised		
	CBIDS	Revised		
	PBD40	Revised		
	PBC40	Revised		



Would you like more information about this machine?



N°OC4090

Ref. JOUANEL DPF153MHM

Gross price Excl. Tax	13 460 €
Transport	Not included, possibility to quote the transport
Warranty	6 months, revised
Lead time	

STANDARD EQUIPMENT

- Non-motorized and manual brake
- Manual hydraulic expansion of 470 to 560 mm



Open Side Decoiller

GENERAL CHARACTERISTICS

• Width: 1500 mm

• Maximum weight: 3 tons

Offer available on our website: https://www.jouanel.com/en/page/second-hand-machines.php

0,

Would you like more information about this machine?



N°OC5014

Ref. JOUANEL BAG2040E

Gross price Excl. Tax	7 300€
Transport	Not included, possibility to quote the transport
Warranty	6 months, revised and repainted
Lead time	Available upon 3 to 4 weeks

STANDARD EQUIPMENT

- Supplementary device, for bending directly on the machine
- Time delay, electronically adjustable
- Machine delivered with one rod (Either \varnothing 12, 14, 16, 18, 20, 24 or 28)



The electronic winding delay and reset allow the operator to precisely adjust the opening of the coil and achieve perfectly identical repeatable production.

GENERAL FEATURES

POSSIBLE OPTIONS

• Weight: 350 kg

• Dimensions: 250 x 70 x 120 cm

• Capacities in mm according to the diameter of the rods :

	Ø 12	Ø 14	Ø 16	Ø 18 et +
Zinc Copper	0,65	0,8	0,8	0,8
Stainless Steel	0,4	0,4	0,5	0,5
Galva steel	0,5	0,63	0,7	0,75

• Other rods possible

Offer available on our website: https://www.jouanel.com/en/page/second-hand-machines.php

Would you like more information about this machine?





N°OC5015

Ref. JOUANEL	CGM2050
	CO1112030

Gross price Excl. Tax	6 650€
Transport	Not included, possibility to quote the transport
Warranty	6 months, revised
Lead time	Available upon 3 to 4 weeks

STANDARD EQUIPMENT

- Retractable front table
- Retractable back metal sheet support 120mm
- 500 mm right-hand 500mm and 300 mm left-hand graduated square gauge
- Rack-operated back gauge with right-hand side control by wheel and digital display of positioning
- Automatic sheet clamping system
- One-piece blades are reversible once



Manual guillotine shear machine for workshop

GENERAL FEATURES

CAPACITIES

Weight: 595 kg

• Dimensions in mm : 2 550 x 1 600 x 1 300

Cutting angle: 1,5°

• Useful cutting length: 2 050 mm

· Capacities in mm:

Steel S235JR	0.4 - 1.0
Zinc, copper	0.4 - 1.2
Stainless Steel	0.4 - 0.6
1050-H44 Aluminum	0.4 - 1.2

Offer available on our website: https://www.jouanel.com/en/page/second-hand-machines.php



Would you like more information about this machine?



N°OC5016

Ref. JOUANEL	PROBAC-LT-C
--------------	-------------

Gross price Excl. Tax	11 000€
Transport	Not included, possibility to quote the transport
Warranty	6 months, revised, repainted
Lead time	Available upon 3 to 4 weeks

STANDARD EQUIPMENT

- 7 sets of roller
- Infeed width adjustment by wheel
- Quick adjustment of the profiles return
- Sheet guide designed for conical trays
- Manual cross-section
- 2 caster wheels + 2 leg + handling arm
- Straightener of trays at the exit
- Slinging rings
- Power supply: 220V mono, 20A, 50Hz



Light electric roll-forming machine for workshop or building site with integrated manual cut for the production of standing seam profiles in parallel or conical trays.

GENERAL CHARACTERISTICS

Dimensions: 1 200 x 1 350 x 1 050 mm

Weight: 320 kgPower: 1,1kW

Profiling speed (m/min): 9m/minTray's minimum length: 400mm

CAPACITES

Capacities:

Zinc: 0.8mmCopper: 0.8mmAluminum: 0.8mm

Offer available on our website: https://www.jouanel.com/en/page/second-hand-machines.php



Would you like more information about this machine?



Ref IOLIANEL

SECOND HAND OFFER

N°OC5017

ICI. SOUAILE	F NOBAC-CF NO
Gross price Excl. Tax	8 900€
Transport	Not included, possibility to quote the transport
Marranti	6 months, revised repainted

DROBAC_CDRO

Warranty 6 months, revised, repainted Lead time Available upon 2 to 3 weeks

STANDARD EQUIPMENT

- 7 sets of roll-forming rollers
- Mechanically welded aluminum frame
- 4 handling handles and slinging rings
- Profiling block and entry guides can be removed by quick release levers
- Guide rails allowing the block to slide for the width adjustment of the tray
- Sheet metal support guide, sliding, equipped with antimarking nylon rollers
- Metal sheet straightening device
- Continuous forward motion, backward motion, control by switch



Electrical roll-forming machine for building site or workshop, ultralight and removable, for shaping of standing seam trays

GENERAL CHARACTERISTICS

• Dimensions: 1 200 x 1 350 x 1 050 mm

• Power supply: 220V Mono, 1,1kW

• Profiling speed: 9m/min

CAPACITES

Capacities:

o Steel: 0.65mm

o Zinc, Copper, Aluminum: 0.6 to 0.8mm

Offer available on our website: https://www.jouanel.com/en/page/second-hand-machines.php

Would you like more information about this machine?





N°OC5013

Ref. JOUANEL	PCX2040A
--------------	----------

Gross price Excl. Tax	2 800 €
Transport	Not included, possibility to quote the transport
Warranty	6 months, revised
Lead time	Available

STANDARD EOUIPMENTS

- Narrow apron 15mm
- 27° clamp ruler
- · Cylinder for easy opening of the gripper
- Quick adjustment of the clamp by eccentric
- Adjustable table, clamp and apron for greater precision
- Graduated angle stop for series bends
- · Adjusting the crowning of the apron
- Removable feet



Manual folding machine for construction sites or workshops

GENERAL CHARACTERISTICS

Dimensions: 2 260 x 1 040 x 600 mm

Gross weight: 160 kg

Useful folding length: 2 040 mmOpening the clamp: 70 mm

Minimum Fold Width: 15x the width

• Capacities:

Stainless steel / Aluminum 1050-H44	0.6 / 1.0 mm
Zinc / steel S235JR	1,0 / 0.7 mm

EQUIPMENT

Machine sold with:

- Zinc cutter (ref. CCMA)
- Rail
- Clamping / loosening pedal

Offer available on our website: https://www.jouanel.com/en/page/second-hand-machines.php

Would you like more information about this machine?





N°OC4079

Ref. JOUANEL	CLP1C
--------------	-------

Gross price Excl. Tax	190€
Transport	Not included, possibility to quote the transport
Warranty	6 months, revised
Lead time	Available

STANDARD EQUIPMENT

- Counter spring on the superior blade
- Inferior blade of 150 mm long x 10 mm thick
- Manual blank-holder
- Operating lever



Workbench manual lever-operated shears

CAPACITIES

GENERAL FEATURES

- Weight: 12 kg
- Dimensions in mm : 280 x 110 x 640
- Lower blades' height in mm: 125 x 10
- Cutting galvanized steel on the whole length: 2
- Flat iron in galvanized steel in mm: 60 x 3
- Round iron in galvanized steel in mm: 8
- Movement transmitted by rod

Offer available on our website: https://www.jouanel.com/en/page/second-hand-machines.php

Would you like more information about this machine?



You can contact +33 2 47 65 47 65 (from Monday to Friday 08h00 / 17h00) or send an email to:

sav@jouanel.com



N°OC4012

Ref. JOUANEL CCM

Gross price Excl. Tax320 €TransportNot included, possibility to quote the transportWarranty6 months, revisedLead timeAvailable

STANDARD EQUIPMENT

- Aluminum body, easy to handle and sturdy
- Tempered steel rollers for a better lifetime
- Guide rail and grip handle guaranteeing cutting accuracy



Roller shear

GENERAL FEATURES

• Capacity:

Zinc	0,8 mm
Steel	0,7 mm
Aluminum 1050-	0,8 mm
H44	

COMPATIBLE MACHINES

- PBS2040 2540
- PCH1020
- PCL1020 1020A
- PCX1020
- PCX2040 2040A 2540 3040 3080
- PZA2040 2040A
- PZX2040 2540

Offer available on our website: https://www.jouanel.com/en/page/second-hand-machines.php

Would you like more information about this machine?





N°OC4013

Ref. JOUANEL CCMA

Gross price Excl. Tax	350 €
Transport	Not included, possibility to quote the transport
Warranty	6 months, revised
Lead time	Available

STANDARD EQUIPMENT

- Aluminum body, easy to handle and sturdy
- Tempered steel rollers for a better lifetime
- Guide rail and grip handle guaranteeing cutting accuracy



Roller shear

GENERAL FEATURES

COMPATIBLE MACHINES

• Capacity:

Zinc	0.8 mm
Steel	0.63 mm
Alu	0.8 mm

• All folders with a CCMA compatible rail

Offer available on our website: https://www.jouanel.com/en/page/second-hand-machines.php

Would you like more information about this machine?





N°OC5010

Ref. JOUANEL	RCX2040A + CCM
REI. JOUANLL	KCXZU4UA + CCIV

Gross price Excl. Tax	480€
Transport	Not included, possibility to quote the transport
Warranty	6 months, revised
Lead time	Available

STANDARD EQUIPMENTS

- Folding device on the front of the bending machine
- Allows the use of the CCM Wheel Knife for cutting material to the pre-bend path
- CCM cutting capacities : Zinc : 0,8 mm



Guide rail with CCM wheel knife, for PCX2040A bending machine

Offer available on our website: https://www.jouanel.com/en/page/second-hand-machines.php

Would you like more information about this machine?






N°OC4066

Gross price Excl. Tax	521 €
Transport	Not included, possibility to quote the transport
Warranty	6 months, revised
Lead time	Available

STANDARD EQUIPMENT

- An innovative 2-axis clamping and bending system
- A single clamp replaces the straight clamp and the angled clamp
- Only one positioning to fold down the drip edge, maximum time saving
- Easy and reproducible folding, without marking
- Suitable for standing seam trays made with 500 and 650mm coils
- Weatherproof clamp, made of stainless steel and aluminum



This new innovative system of folding machines with double fold drip edges allows rapid shaping of the drip edge at the level of the sewer strip in a standing seam.

GENERAL FEATURES

• Dimensions: l. 420mm x H.355mm

• Open length: 520 mm

• Weight: 1790g

Offer available on our website: https://www.jouanel.com/en/page/second-hand-machines.php

Would you like more information about this machine?





N°OC4082

Gross price Excl. Tax	46€
Transport	Not included, possibility to quote the transport
Warranty	6 months, revised
Lead time	Available

STANDARD EQUIPMENT

Right clamp

Fold width: 100 mmFold depth: 100 mm

Crossed-hinge

• PVC-coated handle for a comfortable use



Right clinching pliers

GENERAL FEATURES

Tool overall length: 270 mmTool overall width: 100 mm

Offer available on our website: https://www.jouanel.com/en/page/second-hand-machines.php

Would you like more information about this machine?





N°OC4086

Ret. JUUANEL PLI01K8	Ref. JOUANEL	PLI01K8
----------------------	--------------	---------

Gross price Excl. Tax	250€
Transport	Not included, possibility to quote the transport
Warranty	6 months, revised
Lead time	Available

STANDARD EQUIPMENT

- Leaves no trace on pre-patinated and prelacquered sheets
- Made with non-oxidizing materials
- Handy clamp, compacts and designed especially for quality achievement
- Sturdy, the folder is perfect for starting seam for short facades or with difficult access



Extremely sturdy, light and handy, this tool is designed to close the first seam of standing seams' trays. It's ideal for heads' link fixation, short facades or difficult access.

GENERAL FEATURES

Weight: 2,2 kg

CUT CAPACITIES

• Working width: 250 mm

Closing seam width: 180 mm

• Maximum width of utilization:

o Aluminum, copper, zinc: 0,8 mm

o Steel: 0.8 mm

o Stainless steel: 0.5 mm

Offer available on our website: https://www.jouanel.com/en/page/second-hand-machines.php

Would you like more information about this machine?






N°OC4088

Gross price Excl. Tax	94€
Transport	Not included, possibility to quote the transport
Warranty	6 months, revised
Lead time	Available

STANDARD EQUIPMENT

- For standing seam profile trays
- Enables a rapid and economic implementation



Allows to close the 1st seam of trays in standing seam, roofing or cladding

GENERAL FEATURES

FOLDING CAPACITY

o Weight: 1 930g

o Dimensions: 390 mm x 220 mm

Working width: 220 mm

Offer available on our website: https://www.jouanel.com/en/page/second-hand-machines.php

Would you like more information about this machine?






N°OC4089

Gross price Excl. Tax	106€
Transport	Not included, possibility to quote the transport
Warranty	6 months, revised
Lead time	Available

STANDARD EQUIPMENT

- For standing seam profile trays
- Enables a rapid and economic implementation



 2^{nd} seam folder of trays in standing seam, roofing or cladding

GENERAL FEATURES

FOLDING CAPACITY

Weight: 2 240g

o Dimensions: 450 mm x 220 mm

Working width: 220 mm

Offer available on our website: https://www.jouanel.com/en/page/second-hand-machines.php

Would you like more information about this machine?





N°OC4069

Ref. JOUANEL	OFP-180
--------------	---------

Gross price Excl. Tax	160 €
Transport	Not included, possibility to quote the transport
Warranty	6 months, revised and repainted
Lead time	Available

STANDARD EQUIPMENT

- Folds evenly along the whole length, starting from a 135° fold
- Closes hems at 180° in just one run
- A real time saver
- Capacity of folding 0.8 mm steel
- 4 sets of rollers
- · adjustable upper roller in position and depth
- 2 adjusting wheels
- 2 grip handles



Starting with a 135° seam, the OFP-180 tool enables you to seam at 180° in just one quick and comfortable run, thanks to its 4 sets of rollers

GENERAL FEATURES

- 4 sets of rollers
- Adjustable upper roller in position and depth
- Capacity steel: 0.8 mmNet weight: 1.8 kg

Offer available on our website: https://www.jouanel.com/en/page/second-hand-machines.php

Would you like more information about this machine?





N°OC5012

Ref. JOUANEL	SRLT12
Rei. Juuanel	SKL112

Gross price Excl. Tax	1 100€
Transport	Not included, possibility to quote the transport
Warranty	6 months, revised
Lead time	Available

STANDARD EQUIPMENTS

- Crimping block Fold N°1 and Fold N°2 reversible
- Quick locking/release by lever
- Adjustment for profile height (25mm or 32mm)
- Support castors
- Screwdriver fixing device
- Hollowed out rollers in corrosion-resistant treated steel
- 3 sets of rollers
- Fall arrest ring
- Transport case



Lightweight construction crimping machine for folds N°1 and N°2 of standing seam bins

GENERAL FEATURES

- Dimensions in mm: 332 x 244 x 115
- Net weight with case: 5.5 kg
- Transport case: Yes

CAPACITIES

- 1st fold:
 - o Zinc / Copper / Alu: 0.8 mm
 - o Steel: 0.7 mm
- 2nd fold:
 - $_{\odot}$ $\,$ Zinc / Copper / Alu: 0.8 mm
 - o Steel: 0.6 mm

Offer available on our website: https://www.jouanel.com/en/page/second-hand-machines.php

Would you like more information about this machine?






N°OC4068

Ref. JOUANEL	PLIMDC3-200

Gross price Excl. Tax	427 €
Transport	Not included, possibility to quote the transport
Warranty	6 months, revised
Lead time	Available

STANDARD EQUIPMENT

- Seams on large lengths
- 3 rolls for a better guidance
- 2 folder rollers made of treated steel, inclined at 10°
- Monobloc body in anodized stainless steel
- Columns, rolls and axis made of stainless steel
- Graduations in mm, indelible laser engraving
- Fast locking edge height by 2 butterfly handles



Its large coated handle allows a very good handling of the tool and its 2 folder rollers improve the stability of the sheet and the quality of folding on some edges of large dimension.

GENERAL FEATURES

3 rolls edge height: 5 to 200 mm

• Weight: 3 075 g

FOLDING CAPACITY

Zinc and aluminum: 1.0 mm

Copper: 0.8 mmSteel: 0.7 mm

• Stainless steel: 0.5 mm

Offer available on our website: https://www.jouanel.com/en/page/second-hand-machines.php

Would you like more information about this machine?





N°OC5003

Ref. JOUANEL	PLIMDC3-350

Gross price Excl. Tax	483 €
Transport	Not included, possibility to quote the transport
Warranty	6 months, revised
Lead time	Available

STANDARD EQUIPMENT

- 3 guide rollers
- 2 Treated steel brake rollers
- One-piece body aluminum, machined and anodized
- · Graduations in mm, indelible laser engraving
- · Double lifting height lock by butterfly handles
- Sheathed handle
- Fabric storage pocket



Its large coated handle allows a very good handling of the tool and its 2 folder rollers improve the stability of the sheet and the quality of folding on some edges of large dimension.

GENERAL FEATURES

- Double column
- 3 guide rollers
- Edge height from 5 to 350 mm

CAPACITES

Zinc / aluminum	1.0mm
Copper	0.8mm
Steel	0.7mm
Stainless steel	0.5mm

Offer available on our website: https://www.jouanel.com/en/page/second-hand-machines.php

Would you like more information about this machine?






N°OC5008

Ref. JOUANEL	PLIMSD1-040
ICI. JOOAINEE	

Gross price Excl. Tax	182 €
Transport	Not included, possibility to quote the transport
Warranty	6 months, revised and repainted
Lead time	Available

STANDARD EQUIPMENT

- Single-piece body made of aluminum, machined and anodized
- 1 roll in stainless steel
- 1 folder roller made of 100-mm diameter hardened steel
- · Removable handle
- Fabric storage pocket



Single disk hand edge roller equipped with a disk and a disengageable guide roll to make 180° hems.

CAPACITIES

Weight: 630 g

OPTIONS

High edge: 8 to 40 mm

• Bending:

Zinc / aluminum	1.0 mm
Copper	0.8 mm
Steel	0.7 mm
Stainless steel	0.5 mm

Offer available on our website: https://www.jouanel.com/en/page/second-hand-machines.php

Would you like more information about this machine?



You can contact $+33\ 2\ 47\ 65\ 47\ 65$ (from Monday to Friday $08h00\ /\ 17h00$) or send an email to:

sav@jouanel.com



N°OC5009

Gross price Excl. Tax	480 €
Transport	Not included, possibility to quote the transport
Warranty	6 months
Lead time	Available

STANDARD EQUIPMENT

- Carrying case
- Flaring unit ∅ 80
- Flaring unit ∅ 100
- A perfectly adjusted fit for joining pipes
- Adjustable flaring depth
- Flaring rollers with needle bearings
- Mounted on an aluminum unit
- Usable on copper, zinc, stainless steel and aluminum pipes
- Adaptable without tools on all screwguns



Easy to use directly on the worksite, flaring units for downpipes make it possible to easily and evenly electric welded (ERW) downpipes.

GENERAL FEATURES

- Flaring depth max: 100 mm max
- Flaring rate: between 150t/ min and 500 t/ min
- Max capacity 400 N/mm2 steel and stainless steel: 0.5 mm
- Max capacity zinc / 1/4 hard copper : 0.8 mm
- Net weight of set with carrying case: 3.7 kg

Offer available on our website: https://www.jouanel.com/en/page/second-hand-machines.php

Would you like more information about this machine?





N°OC4077

Ref. JOUANEL

PACK BALOUT AND TOOLING

Gross price Excl. Tax

388 €

Transport

Not included, possibility to quote the transport

Lead time

Available

STANDARD EQUIPMENT

- BALOUT x1: Luggage for tools in reinforced textile, 18 pockets
- CBID x1 : Shape and straight cutting snips, cut to the right, 280mm
- CBIG x1: Shape and straight cutting snips, cut to the left, 280mm
- MACD x1: Right slater's hammer, wooden handle, wide peen
- PATHR4K x1 : Red tracing powder of high quality, 4 kg
- PATHBL4K x1 : Black tracing powder of high quality, 4
 kg
- PAR55G x1: Cutting punching clamp for slates, blade of 55 mm
- VVDS05 x2: stretcher for straps 10 to 20 mm wide
- CGRO x2 : Oblong nibbler shear 35 x 3 mm
- CPIDQS x1: Shear pass sheeting pelican-shaped QS, with spring
- PBTRI100 x1 : Triangular clinching pliers, 100 mm, 100 mm depth
- PBD40 and PBC40: Right clamp Fold width: 40 mm -Fold depth: 45 mm



CBID and CBIG : Designed for small cuts of complexes forms – Counter spring removable and PVC coated handles

MACGS: Tool forged and polished – Wide peen for a better hand release – Sharp tip allowing to put holes in the slate to nail it – Nail-puller

BALOUT : Maximum weight : 15 kg – Velcro fastener – Size (mm) : 520 x 260 x 250 – Transport bar with foam

PATHR4K: Red powder of high quality – Made in France – Storage in jug

PATHBL4K: Blue powder of high quality – Made in France – Storage in jug

PAR55G: Cuts' width: 7 mm maximum – Punching diameter: 3,2 mm – Shearing length: 2,8 mm – Graduation of 60 mm – The blades, matrices, punching, springs and handles are interchangeable

Would you like more information about this machine?



You can contact +33 2 47 65 47 65 (from Monday to Friday 08h00 / 17h00) or send an email to:

sav@jouanel.com



VVDS05: Width of stretcher for straps: 10 to 20 mm – Width: 0,5 mm – Useable on stainless steel, galvanized steel coated, aluminum and blued steel

CGRO: Adjustable cuts' width with a simple setting – Oblong's size: 35 x 3 mm – Zinc and aluminum capacity: 0,8 mm / steal: 0,6 mm

CPIDQS: Blades and branches forged – Long and strong blades to ease the continuous strikes – Stopper antipinching fingers – Counter spring removable – Capacities: steel: 0,6 mm; copper / aluminum: 1,2 mm, stainless steel: 0,4 mm

PBTRI100: Versatile clamp – Crossed-hinge for more strength – Fold width: 100 mm – Handle PVC-coated for a comfortable utilization.

PBD40 / PBC40 : Right clamp and bent pliers bent to 45° - Fold width : 40 mm - Fold depth : 45 mm Crossed-hinge - PVC-coated handle for a comfortable utilization

Offer available on our website: https://www.jouanel.com/en/page/second-hand-machines.php

Would you like more information about this machine?

